

fclose

WMPRO, WMMINI FW \geq 1.0 WMMEGA FW \geq 2.0

Close a file, stream or socket

Description

`fclose (int $handle)`

Close a resource that has previously been opened

Parameters

handle: Valid handle of a previously opened resource

Return Value

None

Example

```
<?
$f=fopen("/test.txt","r"); //open the file for reading and get the file
handle
if ($f) {
    print(fgets($f)); //print the first line of the file
    fclose($f); //close the file referenced by file handle
} else {
    print("Unable to open file /test.txt");
}
?>
```

See Also

[fopen\(\)](#) - Open a file for reading or writing

[f485open\(\)](#) - Open the RS-485 port as a stream

[fseropen\(\)](#) - Open the serial port as a stream

[fsockopen\(\)](#) - Open an internet socket connection

[fread\(\)](#) - Return bytes from a file or stream

[fgets\(\)](#) - Return a single line from a file or stream, with optional size limit

[fwrite\(\)](#) - Write data to a file or stream

[if](#) - Flow control structure for conditional execution

From:

<https://www.wattmon.com/dokuwiki/> - **Wattmon Documentation Wiki**

Permanent link:

<https://www.wattmon.com/dokuwiki/uphp/functions/fclose?rev=1487764475>

Last update: **2021/09/13 05:56**

