

fclose

WMPRO, WMMINI FW >= 1.0 WMMEGA FW >= 2.0

Close a file, stream or socket

Description

[fclose \(int \\$handle \)](#)

Close a resource that has previously been opened

Parameters

handle: Valid handle of a previously opened resource

Return Value

None

Example

```
<?
    $f=fopen("/test.txt","r"); // open the file for reading and get the file
handle
    if ($f) {
        print(fgets($f)); // print the first line of the file
        fclose($f); // close the file referenced by file handle
    } else {
        print("Unable to open file /test.txt");
    }
?>
```

See Also

[fopen\(\)](#) - Open a file for reading or writing

[f485open\(\)](#) - Open the RS-485 port at the specified baud rate and parity

[fseropen\(\)](#) - Open the serial port at the specified baud rate with optional parameters

[fsockopen\(\)](#) - Open an internet socket connection with optional timeout

[fread\(\)](#) - Return bytes from a file or stream

[fgets\(\)](#) - Return a single line from a file or stream, with optional size limit

[fwrite\(\)](#) - Write data to a file or stream

From:

<https://www.wattmon.com/dokuwiki/> - Wattmon Documentation Wiki



Permanent link:

<https://www.wattmon.com/dokuwiki/uphp/functions/fclose?rev=1490632693>

Last update: **2021/09/13 05:56**