

htmlspecialchars

WMPRO, WMMINI FW >= 1.0 WMMEGA FW >= 2.0

Convert special characters for display in HTML

Description

string htmlspecialchars (**string** \$data)

Certain characters have special significance in HTML, and should be represented by HTML entities if they are to be displayed in a browser "as is." This function returns a string with these conversions made.

Parameter

\$data: **String** to be formatted

Return Values

String with certain characters replaced. The translations performed are:

CHARACTER	NAME	TRANSLATED (HTML ENTITY)
&	ampersand	&
"	double quote	"
'	single quote	'
<	less than	<
>	greater than	>

Examples

```
<?
    $data="<a href='test'>Test</a>"
    $send=htmlspecialchars($data);
    print($send);
?>
```

The above example will set \$send to the value Test and the browser will display:

```
<a href='test'>Test</a>
```

(Without conversion by [htmlspecialchars](#) the browser would instead display the hyperlink [Test](#))

Read the file index.cgi line by line and format the output for display on the browser screen

```
<pre><?
    $f=fopen("/index.cgi","r"); // open the file for reading and get the file
handle
    if ($f) {
        while (!feof($f)) {
            print(htmlspecialchars(fgets($f))."\r\n"); // print the line to the
screen
        }
        fclose($f); // close the file referenced by file handle
    } else {
        print("Unable to open file /index.cgi");
    }
?></pre>
```

From:

<http://wattmon.com/dokuwiki/> - **Wattmon Documentation Wiki**

Permanent link:

<http://wattmon.com/dokuwiki/uphp/functions/htmlspecialchars>Last update: **2021/09/13 05:57**