

strpos

WMPRO, WMMINI FW >= 1.0 WMMEGA FW >= 2.0

Return the position of the first occurrence of a **needle** in a **haystack**

Description

```
int strpos ( string $haystack, string $needle )
```

This function will find the numeric position of the first occurrence of a substring (**needle**) in a string (**haystack**)

Parameters

\$haystack: The **string** to search in

\$needle: The **string** to search for

Return Values

Integer: Position of where the **needle** exists relative to the beginning of the **haystack** string, or -1 if not found.

Note that string positions start at 0, and not 1.

Examples

```
<?
  $str='abcdef';
  $pos=strpos($str,'abc')
  if ($pos>=0) {
    print("Substring found at position ".$pos);
  }
?>
```

See Also

[charat\(\)](#) - Return the ASCII code for a character in a **string** at an index

[strlen\(\)](#) - Return the length of a **string**

[strpos\(\)](#) - Return the position of the last occurrence of a needle in a haystack

[strtolower\(\)](#) - Return the lowercase version of a string

[strtoupper\(\)](#) - Return the uppercase version of a string

[substr\(\)](#) - Return a sub-string of the passed str from start for len characters. If len is blank it will return the string until the end.

[ucfirst\(\)](#) - Convert a string to lowercase except for the first character of each word

From:

<https://www.wattmon.com/dokuwiki/> - **Wattmon Documentation Wiki**

Permanent link:

<https://www.wattmon.com/dokuwiki/u.php/functions/strpos?rev=1495810420>

Last update: **2021/09/13 05:56**

