

ucfirst

WMPRO, WMMINI FW >= 1.0 WMMEGA FW >= 2.0

Convert a **string** to lowercase except for the first character

Description

string ucfirst (**string** \$input)

Parameter

\$input: A **string**

Return Values

Lowercase **string** with the first character capitalized (if that character is alphabetic)

Example

```
<?
  $str="Mary Had A Little Lamb and She LOVED It So";
  $str=ucfirst($str);
  print($str); // Prints "Mary had a little lamb and she loved it so"
?>
```

Note

This uPHP function is not exactly like the mainline PHP function [ucfirst](#), which does not automatically convert the balance of the string beyond the first character to lowercase.

See Also

[charat\(\)](#) - Return the ASCII code for a character in a **string** at an index

[strlen\(\)](#) - Return the length of a **string**

[strpos\(\)](#) - Return the position of the first occurrence of a needle in a haystack

[strrpos\(\)](#) - Return the position of the last occurrence of a needle in a haystack

[strtolower\(\)](#) - Return the lowercase version of a **string**

[strtoupper\(\)](#) - Return the UPPERCASE version of a **string**

[substr\(\)](#) - Return part of a **string**

From:

<https://www.wattmon.com/dokuwiki/> - **Wattmon Documentation Wiki**



Permanent link:

<https://www.wattmon.com/dokuwiki/uphp/functions/ucfirst>

Last update: **2021/09/13 05:57**